Product Name: Olfactory receptor 10AG1 Rabbit

Polyclonal Antibody Catalog #: APRab15131



Summary

Production Name Olfactory receptor 10AG1 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application IF,WB,ELISA

Reactivity Human, Rat, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name OR10AG1

Alternative Names OR10AG1; Olfactory receptor 10AG1; Olfactory receptor OR11-160

Gene ID 282770.0

Q8NH19.The antiserum was produced against synthesized peptide derived from **SwissProt ID**

human OR10AG1. AA range:231-280

Application

WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:40000. Not yet tested in other

Dilution Ratio

applications.

Molecular Weight 34kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Olfactory receptor 10AG1 Rabbit

Polyclonal Antibody Catalog #: APRab15131




Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function:Odorant receptor ., similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;

Image Data



Immunofluorescence analysis of MCF7 cells, using OR10AG1 Antibody. The picture on the right is blocked with the




Western blot analysis of lysates from HUVEC, MCF-7, and Jurkat cells, using OR10AG1 Antibody. The lane on the right is blocked with the synthesized peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Olfactory receptor 10AG1 Rabbit


Polyclonal Antibody Catalog #: APRab15131






Western blot analysis of the lysates from RAW264.7cells using OR10AG1 antibody.

KDa Jurkat K562



Western Blot analysis of various cells using Olfactory receptor 10AG1 Polyclonal Antibody



Western Blot analysis of Jurkat cells using Olfactory receptor 10AG1 Polyclonal Antibody

Note

For research use only.