

Summary

Performance

Conjugation	Unconjugated						
Modification	Unmodified						
lsotype	lgG						
Clonality	Polyclonal						
Form	Liquid						
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw						
	cycles.						
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.						
Purification	Affinity purification						

Immunogen

Gene Name	OR2B2							
Alternative Names	OR2B2; OR2B9; Olfactory receptor 2B2; Hs6M1-10; Olfactory receptor 2B9; Olfactory							
	receptor 6-1; OR6-1							
Gene ID	81697.0							
SwissProt ID	Q9GZK3.The antiserum was produced against synthesized peptide derived from human							
	OR2B2. AA range:241-290							

Application

Dilution Ratio	WB 1:500 -	1:2000.	IF	1:200 -	1:1000.	ELISA:	1:10000.	Not yet	tested	in	other
	applications.										



Molecular Weight 40kD


Background

olfactory receptor family 2 subfamily B member 2(OR2B2) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., miscellaneous: The sequence shown here is derived from an EMBL/GenBank/DDBJ third party annotation (TPA) entry., similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;


Image Data




Immunofluorescence analysis of A549 cells, using OR2B2 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HeLa and HT-29 cells, using OR2B2 Antibody. The lane on the right is blocked with the





Note

For research use only.