

Summary

Production Name	Olfactory receptor 2T5/2T29 Rabbit Polyclonal Antibody						
Description	Rabbit Polyclonal Antibody						
Host	Rabbit						
Application	IF,WB,ELISA						
Reactivity	Human,Rat,Mouse						

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	OR2T5/OR2T29					
Alternative Names	OR2T29; Olfactory receptor 2T29; OR2T5; Olfactory receptor 2T5; Olfactory receptor					
	OR1-62					
Gene ID	401993.0					
SwissProt ID	Q8NH02/Q6IEZ7.The antiserum was produced against synthesized peptide derived					
	from human OR2T5/2T29. AA range:66-115					

Application

Dilution Ratio	WB 1:500 -	1:2000.	IF	1:200 -	1:1000.	ELISA:	1:20000.	Not yet	tested	in	other
	applications.										

Product Name: Olfactory receptor 2T5/2T29 Rabbit Polyclonal Antibody Catalog #: APRab15207



Molecular Weight 34kD


Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;

Image Data




Immunofluorescence analysis of MCF7 cells, using OR2T5/2T29 Antibody. The picture on the right is blocked with the



Western blot analysis of lysates from K562 cells, using OR2T5/2T29 Antibody. The lane on the right is blocked with the





Western blot analysis of the lysates from HeLa cells using OR2T5/2T29 antibody.

Note

For research use only.