

Summary

Production Name	Olfactory receptor 4K3 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	IF,WB,ELISA
Reactivity	Human, Rat, Mouse
Host Application	Rabbit IF,WB,ELISA

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	IgG	
Clonality	Polyclonal	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.	
Purification	Affinity purification	

Immunogen

Gene Name	OR4K3
Alternative Names	OR4K3; OR4K3P; Olfactory receptor 4K3; Olfactory receptor OR14-14
Gene ID	283617.0
SwissProt ID	Q96R72.The antiserum was produced against synthesized peptide derived from human
	OR4K3. AA range:266-315

Application


Dilution Ratio	WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:40000. Not yet tested in other
	applications.
Molecular Weight	35kD

Background


Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,polymorphism:A single nucleotide deletion at position Met-205 in the gene coding for this protein is reponsible for functional diversity thus producing a pseudogene.,similarity:Belongs to the G-protein coupled receptor 1 family.,

Research Area

Image Data




Immunofluorescence analysis of A549 cells, using OR4K3 Antibody. The picture on the right is blocked with the synthesized





Western blot analysis of lysates from Jurkat cells, using OR4K3 Antibody. The lane on the right is blocked with the



Western blot analysis of the lysates from HeLa cells using OR4K3 antibody.

Note

For research use only.