

# Summary

Production Name	Olfactory receptor 5D3 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human,Rat,Mouse

## Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

## Immunogen

Gene Name	OR5D3
Alternative Names	
Gene ID	8594.0
SwissProt ID	O95220/Q6IFD1/Q6KH09.The antiserum was produced against synthesized peptide
	derived from human OR5D3. AA range:148-197

# Application

Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
Molecular Weight	27kD


#### Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.


EnkiLife

### **Research Area**

#### **Image Data**



Western blot analysis of lysates from COLO205 cells and MCF-7 cells, using OR5D3 Antibody. The lane on the right is




19-

blocked with the synthesized peptide.

Western blot analysis of the lysates from HT-29 cells using OR5D3 antibody.

Product Name: Olfactory receptor 5D3 Rabbit Polyclonal **Control Control Contro** 



Western Blot analysis of various cells using Olfactory receptor 5D3 Polyclonal Antibody diluted at 1: 500

#### Note

For research use only.