Product Name: Olfactory receptor 6C3 Rabbit Polyclonal Enkilife



Catalog #: APRab15308



Production Name Olfactory receptor 6C3 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human,Rat,Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name OR6C3

Alternative Names OR6C3; Olfactory receptor 6C3; HSA8

Gene ID 254786.0

Q9NZP0.The antiserum was produced against synthesized peptide derived from **SwissProt ID**

human OR6C3. AA range:228-277

Application

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

Molecular Weight 35kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Olfactory receptor 6C3 Rabbit Polyclona

Antibody

Catalog #: APRab15308




Background

olfactory receptor family 6 subfamily C member 3(OR6C3) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;

Image Data



Western blot analysis of lysates from HeLa and HepG2 cells, using OR6C3 Antibody. The lane on the right is blocked with the synthesized peptide.




Western blot analysis of the lysates from K562 cells using OR6C3 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Catalog #: APRab15308



Western Blot analysis of various cells using Olfactory receptor 6C3 Polyclonal Antibody

Note

For research use only.