

---

## Summary

<b>Production Name</b>	OTUD2 Rabbit Polyclonal Antibody
<b>Description</b>	Rabbit Polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human,Rat,Mouse

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	YOD1
<b>Alternative Names</b>	YOD1; DUBA8; HIN7; OTUD2; Ubiquitin thioesterase OTU1; DUBA-8; HIV-1-induced protease 7; HIN-7; HsHIN7; OTU domain-containing protein 2
<b>Gene ID</b>	55432.0
<b>SwissProt ID</b>	Q5VVQ6.The antiserum was produced against synthesized peptide derived from human YOD1. AA range:116-165

## Application

<b>Dilution Ratio</b>	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
<b>Molecular Weight</b>	35kD


## Background

Protein ubiquitination controls many intracellular processes, including cell cycle progression, transcriptional activation, and signal transduction. This dynamic process, involving ubiquitin conjugating enzymes and deubiquitinating enzymes, adds and removes ubiquitin. Deubiquitinating enzymes are cysteine proteases that specifically cleave ubiquitin from ubiquitin-conjugated protein substrates. The protein encoded by this gene belongs to a DUB subfamily characterized by an ovarian tumor (OTU) domain. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013],function:Hydrolase that can remove conjugated ubiquitin from proteins and may therefore play an important regulatory role at the level of protein turnover by preventing degradation.,sequence caution:Wrong choice of frame.,similarity:Contains 1 C2H2-type zinc finger.,similarity:Contains 1 OTU domain.,


## Research Area

Limonene and pinene degradation;Biosynthesis of unsaturated fatty acids;

## Image Data



Western blot analysis of lysates from COLO cells, using YOD1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HT-29 cells using YOD1 antibody.

**Product Name: OTUD2 Rabbit Polyclonal Antibody**  
**Catalog #: APRab15537**



Western Blot analysis of various cells using OTUD2 Polyclonal Antibody

**Note**

For research use only.