## **Product Name: PDK2 Rabbit Polyclonal Antibody**

Catalog #: APRab15919



#### **Summary**

Production Name PDK2 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Storage

Gene Name PDK2

PDK2; PDHK2; [Pyruvate dehydrogenase [lipoamide]] kinase isozyme 2; mitochondrial; Alternative Names

Pyruvate dehydrogenase kinase isoform 2

**Gene ID** 5164.0

Q15119.The antiserum was produced against synthesized peptide derived from human **SwissProt ID** 

PDK2. AA range:260-309

### **Application**

**Dilution Ratio** WB 1:500 - 1:2000. ELISA: 1:20000..

Molecular Weight 46kD

## **Product Name: PDK2 Rabbit Polyclonal Antibody**

Catalog #: APRab15919




#### **Background**


This gene encodes a member of the pyruvate dehydrogenase kinase family. The encoded protein phosphorylates pyruvate dehydrogenase, down-regulating the activity of the mitochondrial pyruvate dehydrogenase complex. Overexpression of this gene may play a role in both cancer and diabetes. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2010],catalytic activity:ATP + [pyruvate dehydrogenase (acetyl-transferring)] = ADP + [pyruvate dehydrogenase (acetyl-transferring)] phosphate.,function:Inhibits the mitochondrial pyruvate dehydrogenase complex by phosphorylation of the E1 alpha subunit, thus contributing to the regulation of glucose metabolism.,similarity:Belongs to the PDK/BCKDK protein kinase family.,similarity:Contains 1 histidine kinase domain.,tissue specificity:Expressed in many tissues, with the highest level in heart and skeletal muscle, intermediate levels in brain, kidney, pancreas and liver, and low levels in placenta and lung.,

#### **Research Area**

#### **Image Data**




Western blot analysis of lysates from HepG2 cells, using PDK2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using PDK2 antibody.

# Product Name: PDK2 Rabbit Polyclonal Antibody Catalog #: APRab15919





Western Blot analysis of various cells using PDK2 Polyclonal Antibody diluted at 1: 500

#### Note

For research use only.