Summary

Production Name Rabenosyn-5 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

HostRabbitApplicationWB,ELISAReactivityHuman,Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name ZFYVE20

ZFYVE20; Rabenosyn-5; 110 kDa protein; FYVE finger-containing Rab5 effector protein

rabenosyn-5; Zinc finger FYVE domain-containing protein 20

Gene ID 64145.0

Q9H1K0.The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

ZFYVE20. AA range:145-194

Application

Dilution Ratio WB 1:500-2000 ELISA 2000-20000

Molecular Weight 89kD


Background

This gene encodes a protein that belongs to the FYVE zinc finger family of proteins. The encoded protein interacts with Ras-related proteins that regulate membrane trafficking. A missense mutation in this gene is associated with a defect in the early endocytic pathway. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2014], function:Rab4/Rab5 effector protein acting in early endocytic membrane fusion and membrane trafficking of recycling endosomes. Required for endosome fusion either homotypically or with clathrin coated vesicles. Plays a role in the lysosomal trafficking of cathepsin D from the Golgi to lysosomes. Also promotes the recycling of transferrin directly from early endosomes to the plasma membrane. Binds phospholipid vesicles containing phosphatidylinositol 3-phosphate (PtdInsP3)., similarity:Contains 1 C2H2-type zinc finger., similarity:Contains 1 FYVE-type zinc finger., similarity:Contains 1 UIM (ubiquitin-interacting motif) repeat., subunit:Interacts with EHD1, RAB4A, RAB5A, RAB22A, RAB24 and VPS45. Binds simultaneously to RAB4A and RAB5A in vitro. Interacts with RAB4A and RAB5A that has been activated by GTP binding.,


Research Area

Endocytosis;

Image Data




Western blot analysis of lysates from HUVEC and Jurkat cells, using ZFYVE20 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from COLO205 cells using ZFYVE20 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Western Blot analysis of various cells using Rabenosyn-5 Polyclonal Antibody diluted at 1: 1000

Note

For research use only.