Product Name: Rsk-4 Rabbit Polyclonal Antibody

Catalog #: APRab17411



Summary

Production Name Rsk-4 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application IHC,WB,ELISA **Reactivity** Human,Rat,Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name RPS6KA6

RPS6KA6; RSK4; Ribosomal protein S6 kinase alpha-6; S6K-alpha-6; 90 kDa ribosomal **Alternative Names**

protein S6 kinase 6; p90-RSK 6; p90RSK6; Ribosomal S6 kinase 4; RSK-4; pp90RSK4

Gene ID 27330.0

Q9UK32.The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

S6K-alpha6. AA range:661-710

Application

Dilution Ratio WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000...

Molecular Weight 84kD

Product Name: Rsk-4 Rabbit Polyclonal Antibody

C EnkiLife

Catalog #: APRab17411


Background

ribosomal protein S6 kinase A6(RPS6KA6) Homo sapiens This gene encodes a member of ribosomal S6 kinase family, serine-threonine protein kinases which are regulated by growth factors. The encoded protein may be distinct from other members of this family, however, as studies suggest it is not growth factor dependent and may not participate in the same signaling pathways. [provided by RefSeq, Jan 2010],catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,enzyme regulation:Activated by multiple phosphorylations on threonine and serine residues.,function:Serine/threonine kinase that may play a role in mediating the growth-factor and stress induced activation of the transcription factor CREB.,PTM:Autophosphorylated on Ser-389, as part of the activation process.,similarity:Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. S6 kinase subfamily.,similarity:Contains 1 AGC-kinase C-terminal domain.,similarity:Contains 2 protein kinase domains.,subunit:Forms a complex with either ERK1 or ERK2 in quiescent cells. Transiently dissociates following mitogenic stimulation.,


Research Area

Insulin Receptor; Regulates Angiogenesis; mTOR; B Cell Receptor; AMPK

Image Data



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using S6K-alpha6 Antibody. The picture on the right is blocked with the synthesized peptide.




Western blot analysis of lysates from K562 and HT-29 cells, using S6K-alpha6 Antibody. The lane on the right is blocked with

Product Name: Rsk-4 Rabbit Polyclonal Antibody Catalog #: APRab17411



the synthesized peptide.



Western Blot analysis of various cells using Rsk-4 Polyclonal Antibody diluted at 1: 500

Note

For research use only.