Product Name: SNX1 Rabbit Polyclonal Antibody

Catalog #: APRab18071



Summary

Production Name SNX1 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB

Reactivity Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name SNX1

Alternative Names SNX1; Sorting nexin-1

Gene ID 6642.0

SwissProt ID Q13596.Synthesized peptide derived from the Internal region of human SNX1.

Application

Dilution Ratio WB 1:500-2000 ELISA 2000-20000

Molecular Weight 60kD

Background

This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. This endosomal protein regulates the cell-

Product Name: SNX1 Rabbit Polyclonal Antibody


Catalog #: APRab18071



surface expression of epidermal growth factor receptor. This protein also has a role in sorting protease-activated receptor-1 from early endosomes to lysosomes. This protein may form oligomeric complexes with family members. This gene results in three transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008],function:May be involved in several stages of intracellular trafficking. Plays a role in targeting ligand-activated EGFR to the lysosomes for degradation after endocytosis from the cell surface and release from the Golgi. Component of the retromer complex, a complex required to retrieve lysosomal enzyme receptors (IGF2R and M6PR) from endosomes to the trans-Golgi network. Interacts with PtdIns(3,4,5)P3 and, with weaker affinity, with PtdIns(3,5)P2.,similarity:Belongs to the sorting nexin family.,similarity:Contains 1 PX (phox homology) domain.,subunit:Self-assembles into a complex of approximately 300 kDa (By similarity). Interacts with HGS (By similarity). Component of the retromer complex composed of VPS26 (VPS26A or VPS26B), VPS29, VPS35, SNX1 and SNX2.,

Research Area

Image Data



Western Blot analysis of various cells using SNX1 Polyclonal Antibody

Note

For research use only.