# Catalog #: APRab19053



# **Summary**

TMEM185A Rabbit Polyclonal Antibody **Production Name** 

Description Rabbit Polyclonal Antibody

Host Rabbit

**Application** IF,WB,ELISA Reactivity Human, Mouse

## **Performance**

Conjugation Unconjugated Modification Unmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

## **Immunogen**

Storage

**Gene Name** TMEM185A

**Alternative Names** TMEM185A; CXorf13; FAM11A; Transmembrane protein 185A; Protein FAM11A

Gene ID 84548.0

Q8NFB2. The antiserum was produced against synthesized peptide derived from human

TMEM185A. AA range:290-339

# **Application**

**SwissProt ID** 

WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other

**Dilution Ratio** 

applications.

**Molecular Weight** 41kD



# **Background**


The protein encoded by this gene is predicted to be a transmembrane protein. This gene is best known for localizing to the CpG island of the fragile site FRAXF. The 5' untranslated region of this gene contains a CGG trinucleotide repeat sequence that normally consists of 7-40 tandem CGG repeats but which can expand to greater than 300 repeats. Methylation of the CpG island leads to transcriptional silencing of this gene, but neither the silencing nor an expanded repeat region appear to manifest itself in a clear phenotypic manner. Alternative splicing results in multiple transcript variants. A pseudogene of this gene has been defined on the X chromosome. [provided by RefSeq, Aug 2013], similarity: Belongs to the TMEM185 family.,

### **Research Area**

## **Image Data**




Immunofluorescence analysis of MCF7 cells, using TMEM185A Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from K562 cells, using TMEM185A Antibody. The lane on the right is blocked with the synthesized peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Western blot analysis of the lysates from HT-29 cells using TMEM185A antibody.

### Note

For research use only.