

Summary

| Production Name | UCP3 Rabbit Polyclonal Antibody |
|-----------------|---------------------------------|
| Description | Rabbit Polyclonal Antibody |
| Host | Rabbit |
| Application | WB,ELISA |
| Reactivity | Human, Mouse, Rat |

Performance

| Conjugation | Unconjugated |
|--------------|--|
| Modification | Unmodified |
| lsotype | IgG |
| Clonality | Polyclonal |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw |
| | cycles. |
| Buffer | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N. |
| Purification | Affinity purification |

Immunogen

| Gene Name | UCP3 |
|-------------------|--|
| Alternative Names | UCP3; SLC25A9; Mitochondrial uncoupling protein 3; UCP 3; Solute carrier family 25 |
| | member 9 |
| Gene ID | 7352.0 |
| SwissProt ID | P55916.The antiserum was produced against synthesized peptide derived from human |
| | UCP3. AA range:259-308 |

Application

| Dilution Ratio | WB 1:500 - 1:2000. ELISA: 1:10000 |
|------------------|-----------------------------------|
| Molecular Weight | 33kD |



Background

Mitochondrial uncoupling proteins (UCP) are members of the larger family of mitochondrial anion carrier proteins (MACP). UCPs separate oxidative phosphorylation from ATP synthesis with energy dissipated as heat, also referred to as the mitochondrial proton leak. UCPs facilitate the transfer of anions from the inner to the outer mitochondrial membrane and the return transfer of protons from the outer to the inner mitochondrial membrane. They also reduce the mitochondrial membrane potential in mammalian cells. The different UCPs have tissue-specific expression; this gene is primarily expressed in skeletal muscle. This gene's protein product is postulated to protect mitochondria against lipid-induced oxidative stress. Expression levels of this gene increase when fatty acid supplies to mitochondria exceed their oxidation capacity and the protein enables the export of fatty acids from mitochondria.disease:Defects in UCP3 may be involved in severe obesity [MIM:601665], function:UCP are mitochondrial transporter proteins that create proton leaks across the inner mitochondrial membrane, thus uncoupling oxidative phosphorylation. As a result, energy is dissipated in the form of heat. May play a role in the modulation of tissue respiratory control. Participates in thermogenesis and energy balance.,similarity:Belongs to the mitochondrial carrier family,similarity:Contains 3 Solcar repeats.,tissue specificity:Only in skeletal muscle and heart. Is more expressed in glycolytic than in oxidative skeletal muscles.,

Research Area

Image Data



Western blot analysis of lysate from Jurkat cells, using UCP3 antibody.

Product Name: UCP3 Rabbit Polyclonal Antibody Catalog #: APRab19597





Western Blot analysis of various cells using UCP3 Polyclonal Antibody diluted at 1: 1000. Secondary antibody was diluted at

1:20000

Note

For research use only.