

Summary

| Production Name | VRK3 Rabbit Polyclonal Antibody |
|-----------------|---------------------------------|
| Description | Rabbit Polyclonal Antibody |
| Host | Rabbit |
| Application | WB |
| Reactivity | Human,Rat,Mouse |

Performance

| Conjugation | Unconjugated |
|--------------|--|
| Modification | Unmodified |
| lsotype | IgG |
| Clonality | Polyclonal |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| Buffer | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N. |
| Purification | Affinity purification |

Immunogen

| Gene Name | VRK3 | | |
|-------------------|---|--|--|
| Alternative Names | VRK3; Inactive serine/threonine-protein kinase VRK3; Serine/threonine-protein | | |
| | pseudokinase VRK3; Vaccinia-related kinase 3 | | |
| Gene ID | 51231.0 | | |
| SwissProt ID | Q8IV63.Synthesized peptide derived from the Internal region of human VRK3. | | |

Application

| Dilution Ratio | WB 1:500-1:2000. ELISA: 1:40000. |
|------------------|----------------------------------|
| Molecular Weight | 53kD |

Background

vaccinia related kinase 3(VRK3) Homo sapiens This gene encodes a member of the vaccinia-related kinase (VRK) family of


Product Name: VRK3 Rabbit Polyclonal Antibody Catalog #: APRab19842



serine/threonine protein kinases. In both human and mouse, this gene has substitutions at several residues within the ATP binding motifs that in other kinases have been shown to be required for catalysis. In vitro assays indicate the protein lacks phosphorylation activity. The protein, however, likely retains its substrate binding capability. This gene is widely expressed in human tissues and its protein localizes to the nucleus. Alternative splicing results in multiple transcripts encoding different isoforms. [provided by RefSeq, Jul 2008],catalytic activity:ATP + a protein = ADP + a phosphoprotein.,function:Probable serine/threonine kinase.,similarity:Belongs to the protein kinase superfamily. CK1 Ser/Thr protein kinase family. VRK subfamily.,similarity:Contains 1 protein kinase domain.,

Research Area

Image Data



Western Blot analysis of COLO cells using VRK3 Polyclonal Antibody. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).

Note

For research use only.