

---

## Summary

<b>Production Name</b>	ZNF596 Rabbit Polyclonal Antibody
<b>Description</b>	Rabbit Polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	IHC, WB, ELISA
<b>Reactivity</b>	Human, Rat, Mouse

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	ZNF596
<b>Alternative Names</b>	ZNF596; Zinc finger protein 596
<b>Gene ID</b>	169270.0
<b>SwissProt ID</b>	Q8TC21. The antiserum was produced against synthesized peptide derived from human ZNF596. AA range:261-310

## Application

<b>Dilution Ratio</b>	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:5000..
<b>Molecular Weight</b>	58kD

## Background

---


**Product Name: ZNF596 Rabbit Polyclonal Antibody**  
**Catalog #: APRab20274**




function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 11 C2H2-type zinc fingers.,function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 11 C2H2-type zinc fingers.,

## Research Area

## Image Data




Immunohistochemistry analysis of paraffin-embedded human brain tissue, using ZNF596 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, using ZNF596 Antibody. The lane on the right is blocked with the synthesized peptide.

**Product Name: ZNF596 Rabbit Polyclonal Antibody**  
**Catalog #: APRab20274**



Western Blot analysis of Jurkat cells using ZNF596 Polyclonal Antibody. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA) .

### **Note**

For research use only.