Product Name: Recombinant Human LGALS1 (C-6His) Catalog #: PEH0701



Summary

Name Galectin-1/LGALS1

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/µg as determined by LAL test.

Construction Recombinant Human Galectin-1 is produced by our E.coli expression system

and the target gene encoding Ala2-Asp135 is expressed with a 6His tag at the

C-terminus.

Accession # P09382

Host E.coli

Species Human

Predicted Molecular Mass 15.78 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM Citrate, 8% Trehalose, 4%

Mannitol, 50mM NaCl, 1mM TCEP, 0.05% Tween 80, pH 4.0.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 Stability&Storage


months under sterile conditions after opening. Please minimize freeze-thaw

cvcles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Product Name: Recombinant Human LGALS1 (C-6His) Catalog #: PEH0701



Background

Alternative Names Galectin-1; Gal-1; 14 kDa Laminin-Binding Protein; HLBP14; 14 kDa Lectin; Beta-

Galactoside-Binding Lectin L-14-I; Galaptin; HBL; HPL; Lactose-Binding Lectin 1; Lectin Galactoside-Binding Soluble 1; Putative MAPK-Activating Protein PM12; S-

Lac Lectin 1; LGALS1

Background Galectin-1 is a member of growing family of evolutionary conserved animal lectins.

Galectin-1 is widely expressed in many cells and tissues. Galectins consists of a Galectin domain and two Beta-galactoside binding domains. Galectin-1 can binds LGALS3BP and interacts with CD2, CD3, CD4, CD7, CD43 and CD45. Galectin-1 may act as an autocrine negative growth factor which regulates apoptosis, cell proliferation and cell differentiation. In addition, Galectin-1 plays improtant roles in

immunosuppressive and antiinflammatory properties.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838