Product Name: Recombinant Human GH

Catalog #: PEH0765



Summary

Name Growth hormone/GH(Pituitary,22kD)

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Growth Hormone is produced by our E.coli expression

system and the target gene encoding Phe27-Phe217 is expressed.

Accession # P01241

Host E.coli

Species Human

Predicted Molecular Mass 22.1 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM HEPES-NaOH, 8%

Trehalose, 2% Mannitol, 0.05% Tween80, pH7.0

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human GH Catalog #: PEH0765



Alternative Names GH1;Somatotropin;Growth hormone;GH;GH-N;Growth hormone 1;Pituitary growth

hormone

Background Growth hormone (GH), also known as somatotropin, is a member of a family of

growth factors. It plays an important role in growth control. Its major role in stimulating body growth is to stimulate the liver and other tissues to secrete IGF-1. GH includes prolactin, placental lactogens, proliferins, and somatolactin. It is synthesized primarily by somatotropes in the anterior pituitary and is stored in secretory granules. It stimulates both the differentiation and proliferation of myoblasts. It also stimulates amino acid uptake and protein synthesis in muscle

and other tissues.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838