


## Summary

Name	Methylated-DNAprotein-cysteine methyltransferase /MGMT		
Purity	Greater than 95% as determined by reducing SDS-PAGE		
Endotoxin level	<1 EU/µg as determined by LAL test.		
Construction	Recombinant Human Methylated-DNA-protein-cysteine Methyltransferase is produced by our E.coli expression system and the target gene encoding Met1-Asn207 is expressed with a 6His tag at the N-terminus.		
Accession #	P16455		
Host	E.coli		
Species	Human		
Predicted Molecular Mass	23.8 KDa		
Formulation	Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl,1mM DTT,1mM EDTA,500mM NaCl,0.1%Trition X-100,pH 8.0.		
Shipping	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.		
Stability&Storage	Store at $\leq$ -70°C, stable for 6 months after receipt. Store at $\leq$ -70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.		
Reconstitution			

## **SDS-PAGE** image



## Background

Alternative Names	Methylated-DNAprotein-cysteine DNAmethyltransferase;O-6-methylgua	,	6-O-methylguanine- ase; MGMT
Background	MGMT belongs to the family of transferases, specifically those transferring on carbon group methyltransferases. MGMT involved in the cellular defense again		



the biological effects of O6-methylguanine in DNA. Repairs alkylated guanine in DNA by stoichiometrically transferring the alkyl group at the O-6 position to a cysteine residue in the enzyme. MGMT catalyzes the chemical reaction: DNA (containing 6-O-methylguanine) and proteinL-cysteine into DNA (without 6-O-methylguanine) and protein S-methyl-L-cysteine.

## **Note** For Research Use Only , Not for Diagnostic Use.