Product Name: Recombinant Human LSM1 (C-6His)
Catalog #: PEH1757

Summary

Name	U6 snRNA-Associated Sm-Like Protein LSm1/LSM1
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/μg as determined by LAL test.
Construction	Recombinant Human U6 snRNA-Associated Sm-Like Protein LSm1 is produced by our E.coli expression system and the target gene encoding Met1-Tyr133 is expressed with a 6His tag at the C-terminus.
Accession #	O15116
Host	E.coli
Species	Human
Predicted Molecular Mass	16.23 KDa
Formulation	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human LSM1 (C-6His)
Catalog #: PEH1757

Alternative Names	U6 snRNA-Associated Sm-Like Protein LSm1; Cancer-Associated Sm-Like; Small Nuclear Ribonuclear CaSm; LSM1; CASM
Background	U6 snRNA-Associated Sm-Like Protein LSm1 (LSM1) belongs to the snRNP Sm proteins family. The Sm-like proteins are thought to form a stable heteromer present in tri-snRNP particles, which plays an important role in pre-mRNA splicing. LSM1 binds specifically to the 3-terminal U-tract of U6snRNA. LSM1 can interact with SLBP when histone mRNA is being rapidly degraded during the S phase. In addition, LSM1 is associated with cellular transformation and the progression of several malignancies including mesothelioma, lung cancer and breast cancer.

Note

For Research Use Only , Not for Diagnostic Use.