Summary

Name Ubiquitin-like protein Nedd8/NEDD8

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Neural Precursor Cell Expressed Developmentally

Down-regulated Protein 8 is produced by our E.coli expression system and the target gene encoding Met1-Gly76 is expressed with a 6His, SUMO tag at

the N-terminus.

Accession # Q15843

Host E.coli

Species Human

Predicted Molecular Mass 20.9 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, 5%

Trehalose, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than $100\mu g/ml$. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than $100\mu g/ml$. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Product Name: Recombinant Human NEDD8 (N-6His-SUMO) Enkilife Catalog #: PEH1784

Background

Alternative Names Neural precursor cell expressed developmentally down-regulated protein 8;

NEDD8; Neddylin; Ubiquitin-like protein Nedd8

Background Human NEDD8 shares 60% amino acid sequence identity to ubiquitin. The only

known substrates of NEDD8 modification are the cullin subunits of SCF ubiquitin E3 ligases. The NEDDylation of cullins is critical for the recruitment of E2 to the ligase complex, thus facilitating ubiquitin conjugation. NEDD8 modification has therefore been implicated in cell cycle progression and cytoskeletal regulation.

Note

For Research Use Only , Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838