


Summary

Name	VAP-B/Vesicle-associated membrane protein-associated protein B/C
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/ μ g as determined by LAL test.
Construction	Recombinant Human Vesicle-associated Membrane Protein-associated Protein B is produced by our E.coli expression system and the target gene encoding Ala2-Pro132 is expressed with a 6His tag at the C-terminus.
Accession #	O95292
Host	E.coli
Species	Human
Predicted Molecular Mass	16 KDa
Formulation	Lyophilized from a 0.2 μ m filtered solution of 20mM Tris-HCl, 100mM NaCl, pH 8.0.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image





Background

Alternative Names	Vesicle-associated membrane protein-associated protein B/C;VAMP-B/VAMP- C;VAMP-associated protein B/C;VAP-B/VAP-C
Background	vesicle-associated membrane protein-associated protein B/C (VAPB) is presents in mitochondria-associated membranes that are endoplasmic reticulum membrane regions closely apposed to the outer mitochondrial membrane. It can form homodimer, and heterodimer with VAPA. It also interacts with VAMP1, VAMP2, HCV NS5A, NS5B, ZFYVE27 and RMDN3. VAPB participates in the endoplasmic reticulum unfolded protein response (UPR) by inducing ERN1/IRE1 activity. It is involved in cellular calcium homeostasis regulation.

Note

For Research Use Only, Not for Diagnostic Use.