


**Product Name: Recombinant Human PTGDS (C-6His)**  
**Catalog #: PHH1317**



## Summary

<b>Name</b>	PGD2 Synthase/PTGDS
<b>Purity</b>	Greater than 95% as determined by reducing SDS-PAGE
<b>Endotoxin level</b>	<1 EU/μg as determined by LAL test.
<b>Construction</b>	Recombinant Human Prostaglandin-D2 Synthase is produced by our Mammalian expression system and the target gene encoding Ala23-Gln190 is expressed with a 6His tag at the C-terminus.
<b>Accession #</b>	P41222
<b>Host</b>	Human Cells
<b>Species</b>	Human
<b>Predicted Molecular Mass</b>	19.7 KDa
<b>Formulation</b>	Supplied as a 0.2 μm filtered solution of 20mM Tris-HCl, 150mM NaCl, 10% Glycerol, pH 7.5.
<b>Shipping</b>	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.
<b>Stability&amp;Storage</b>	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
<b>Reconstitution</b>	

## SDS-PAGE image



## Background

<b>Alternative Names</b>	Prostaglandin-H2 D-Isomerase; Beta-Trace Protein; Cerebrin-28; Glutathione-Independent PGD Synthase; Lipocalin-Type Prostaglandin-D Synthase; Prostaglandin-D2 Synthase; PGD2 Synthase;PGDS; PGDS2; PTGDS; PDS
<b>Background</b>	Prostaglandin-H2 D-Isomerase (PTGDS) belongs to the Lipocalin family of calycin superfamily. PTGDS is preferentially expressed in the brain. PTGDS catalyzes the

**Product Name: Recombinant Human PTGDS (C-6His)**  
**Catalog #: PHH1317**



---

conversion of PGH2 to PGD2, a prostaglandin involved in smooth muscle contraction/relaxation and a potent inhibitor of platelet aggregation. PTGDS is involved in a variety of CNS functions, such as sedation, REM sleep and PGE2-induced allodynia, and may have an anti-apoptotic role in oligodendrocytes. PTGDS binds small non-substrate lipophilic molecules and may act as a scavenger for harmful hydrophobic molecules and a secretory retinoid and thyroid hormone transporter. It possibly participates in development and maintenance of the blood-brain, blood-retina, blood-aqueous humor, blood-testis barrier, the central nervous system and male reproductive system.

**Note**

For Research Use Only , Not for Diagnostic Use.