Product Name: Recombinant Human TDGF1 (C-Fc) Catalog #: PHH1614

Ci EnkiLife

Summary

Name Teratocarcinoma-derived growth factor 1/TDGF1

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Teratocarcinoma-derived Growth Factor 1 is produced

by our Mammalian expression system and the target gene encoding Leu31-

Ser169 is expressed with a human IgG1 Fc tag at the C-terminus.

Accession # P13385

Host Human Cells

Species Human

Predicted Molecular Mass 42.8 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than $100\mu g/ml$. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than $100\mu g/ml$. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Product Name: Recombinant Human TDGF1 (C-Fc)

Catalog #: PHH1614



Background

Alternative Names Teratocarcinoma-derived growth factor 1;Cripto-1 growth factor;CRGF;Epidermal

growth factor-like cripto protein CR1;TDGF1;CRIPTO

Background Teratocarcinoma-derived growth factor 1(TDGF1) is a Cell membrane protein and

contains 1 EGF-like domain. The protein plays an essential role in embryonic development and tumor growth. Mutations in this gene are associated with forebrain defects. It also may play a role in the determination of the epiblastic cells

that subsequently give rise to the mesoderm.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838