Product Name: Recombinant Human FAM3B (C-Fc)

Catalog #: PHH2072



Summary

Name FAM3B/C21orf11/ORF9

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Protein FAM3B is produced by our Mammalian

expression system and the target gene encoding Glu30-Ser235 is expressed

with a human IgG1 Fc tag at the C-terminus.

Accession # P58499

Host Human Cells

Species Human

Predicted Molecular Mass 50 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human FAM3B (C-Fc) Catalog #: PHH2072

C EnkiLife

Alternative Names C21orf11; Cytokine-like protein 2-21; D21M16SJHU19e; FAM3B; family with

sequence similarity 3, member B; ORF9; pancreatic derived factor; Pancreatic-

derived factor; PANDER; PRED44

BackgroundFAM3B, also known as Pancreatic-derived factor (PANDER), is an islet-specific

secreted cytokine specifically expressed at high levels in the islets of Langerhans of the endocrine pancreas. FAM3B can induce apoptosis of alpha and beta cells in a dose- and time-dependent manner. Previous studies showed that FAM3B regulates glucose and lipid metabolism through interaction with liver and endocrine pancreas. FAM3B silencing activates both extrinsic and intrinsic apoptotic pathways. In general, silencing FAM3B promoted p53 phosphorylation and induced p53 accumulation by decreasing Mdm2 expression, which resulted in

apoptotic cell death.

Note

For Research Use Only , Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838