## Product Name: Recombinant Human TROP-2 (248AA, C-Fc) Catalog #: PHH2275



## **Summary**

Name TROP-2/TACSTD2/Tumor-associated Calcium Signal Transducer 2 (His27-

Thr274,248AA)

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Human Tumor-associated Calcium Signal Transducer 2 is

produced by our Mammalian expression system and the target gene encoding His27-Thr274 is expressed with a human IgG1 Fc tag at the C-

terminus.

Accession # P09758

**Host** Human Cells

**Species** Human

Predicted Molecular Mass 54.8 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

**Reconstitution** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

### **SDS-PAGE** image



## **Background**

# Product Name: Recombinant Human TROP-2 (248AA, C-Fc) Catalog #: PHH2275



Alternative Names Tumor-associated calcium signal transducer 2; Membrane component

chromosome 1 surface marker 1; Cell surface glycoprotein Trop-2; TACSTD2;

TROP2

Background Tumor associated calcium signal transducer 2 (TACSTD2, TROP-2) is a type I cell

surface glycoprotein that is highly expressed on human carcinomas. It was originally identified as an antigen present on human gastrointestinal tumors and is the second of two members of this family. Human and mouse TROP-2 share 87% amino acid (aa) similarity. TROP-2 is capable of transducing an intracellular calcium

signal and may play a role in tumor growth. It also has adhesive functions.

#### Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838