


## Summary

Name	plexin domain-containing protein 2/PLXDC2
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/µg as determined by LAL test.
Construction	Recombinant Mouse Plexin Domain-containing Protein 2 is produced by our Mammalian expression system and the target gene encoding Glu31-Ala455 is expressed with a 6His tag at the C-terminus.
Accession #	AAH57881.1
Host	Human Cells
Species	Mouse
Predicted Molecular Mass	48.95 KDa
Formulation	Lyophilized from a 0.2 $\mu$ m filtered solution of 20mM Glycine-HCl, 10% Trehalose, 0.05% Tween 80, pH 3.5.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at $\leq$ -70°C, stable for 6 months after receipt. Store at $\leq$ -70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## **SDS-PAGE** image





## Background

Alternative Names	Plexin domain-containing protein 2;Tumor endothelial marker 7-related protein;Plxdc2;Tem7r
Background	Mouse Plexin domain-containing protein 2(PLXDC2) is a single-pass type I membrane protein. The protein is expressed in tumor endothelium and in vessels of some normal tissues, such as the muscle and lung. PLXDC2 can interact with CTTN, and may play a role in tumor angiogenesis.

## Note

For Research Use Only, Not for Diagnostic Use.