

Summary

Production Name	PINCH (3C12) Mouse Monoclonal Antibody
Description	Primary antibody
Host	Mouse
Application	WB,ICC/IF,FC,IP
Reactivity	Human

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG1	
Clonality	Monoclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	
Purification	Ascitic Fluid	

Immunogen

Gene Name	LIMS1
	LIMS1; PINCH; PINCH1; LIM and senescent cell antigen-like-containing domain protein
Alternative Names	1; Particularly interesting new Cys-His protein 1; PINCH-1; Renal carcinoma antigen NY-
	REN-48
Gene ID	3987
SwissProt ID	P48059

Application

Dilution Ratio	WB: 1/500-1/1000 IF: 1/50-1/200 IP: 1/20 FC: 1/50-1/100
Molecular Weight	Calculated MW: 37 kDa; Observed MW: 37 kDa




Background

The protein encoded by this gene is an adaptor protein which contains five LIM domains, or double zinc fingers. The protein is likely involved in integrin signaling through its LIM domain-mediated interaction with integrin-linked kinase, found in focal adhesion plaques. It is also thought to act as a bridge linking integrin-linked kinase to NCK adaptor protein 2, which is involved in growth factor receptor kinase signaling pathways. Its localization to the periphery of spreading cells also suggests that this protein may play a role in integrin-mediated cell adhesion or spreading. Several transcript variants encoding different isoforms have been found for this gene.


Research Area

Cardiovascular

Image Data




Immunoprecipitation analysis of PINCH in Hela lysates using PINCH antibody.




Western blot analysis of PINCH (3C12) in C6, Jurkat, K562, 3T3 and Hela lysates using PINCH (3C12) antibody

Product Name: PINCH (3C12) Mouse Monoclonal Antibody Catalog #: AMM00862





Immunofluorescence analysis of PINCH (3C12) in HepG2 cells using PINCH (3C12) antibody (green) and DAPI (blue).



Flow cytometry analysis of Hela stained with PINCH antibody (blue) and negative control (red).

Note

For research use only.