

# Summary

Production Name	beta Catenin (7E2) Mouse Monoclonal Antibody	
Description	Primary antibody	
Host	Mouse	
Application	WB,IHC-P	
Reactivity	Human, Mouse, Rat	

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG1
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Purification	Affinity Purified

#### Immunogen

Gene Name	CTNNB1
Alternative Names	CTNNB1; CTNNB; OK/SW-cl.35; Catenin beta-1; Beta-catenin
Gene ID	1499
SwissProt ID	P35222

# Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100
Molecular Weight	Calculated MW: 85 kDa; Observed MW: 92 kDa

# Background




Beta-catenin is an adherens junction protein. Adherens junctions (AJs; also called the zonula adherens) are critical for the establishment and maintenance of epithelial layers, such as those lining organ surfaces. AJs mediate adhesion between cells, communicate a signal that neighboring cells are present, and anchor the actin cytoskeleton. In serving these roles, AJs regulate normal cell growth and behavior.


#### **Research Area**

Signal Transduction

### Image Data




Western blot analysis of beta Catenin (7E2)in Hela, 293T, mouse Liver, rat Liver lysates using ßCatenin antibody.



Western blot analysis of beta Catenin (7E2) in T47D, 3T3, COS7 and C6 lysates using ßCatenin antibody.





Immunohistochemistry analysis of paraffin-embedded Human lung cancer tissue using beta Catenin (7E2) antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note For research use only.