

Summary

MAP2K6 (8A11) Mouse Monoclonal Antibody	
Primary antibody	
Mouse	
WB,IP	
Human,Rat	

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG1	
Clonality	Monoclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
Storage	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	
Purification	Affinity Purified	

Immunogen

Gene Name	MAP2K6
	MAP2K6; MEK6; MKK6; PRKMK6; SKK3; Dual specificity mitogen-activated protein
Alternative Names	kinase kinase 6; MAP kinase kinase 6; MAPKK 6; MAPK/ERK kinase 6; MEK 6; Stress-
	activated protein kinase kinase 3; SAPK kinase 3; SAPKK-3; SAPKK3
Gene ID	5608
SwissProt ID	P52564

Application

Dilution Ratio	WB: 1/500-1/1000 IP: 1/20
Molecular Weight	Calculated MW: 37 kDa; Observed MW: 40 kDa




Background

This gene encodes a member of the dual specificity protein kinase family, which functions as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein phosphorylates and activates p38 MAP kinase in response to inflammatory cytokines or environmental stress. As an essential component of p38 MAP kinase mediated signal transduction pathway, this gene is involved in many cellular processes such as stress induced cell cycle arrest, transcription activation and apoptosis. Tissue specificity: Isoform 2 is only expressed in skeletal muscle. Isoform 1, on the other hand, is found in skeletal muscle, heart, and in lesser extent in liver or pancreas.


Research Area

Signal Transduction

Image Data



Western blot analysis of MAP2K6 (8A11) in PC-12, C6, Ramos, Jurkat and Hela lysates using MKK3/6 antibody.



Immunoprecipitation analysis of MAP2K6 (8A11) in Hela lysates using MKK3/6 antibody.



Note

For research use only.