# Product Name: GSK3 beta Mouse Monoclonal Antibody Enkilife Catalog #: AMM03710

# **Summary**

**Production Name** GSK3 beta Mouse Monoclonal Antibody

**Description** Primary antibody

**Host** Mouse

**Application** WB,IHC-P,FC

**Reactivity** Human, Mouse, Rat

## **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG1

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purified

## **Immunogen**

Storage

Gene Name GSK3B

GSK3B; Glycogen synthase kinase-3 beta; GSK-3 beta; Serine/threonine-protein kinase

GSK3B

 Gene ID
 2932

 SwissProt ID
 P49841

# **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100 FC: 1/50-1/100

Molecular Weight Calculated MW: 47 kDa; Observed MW: 47 kDa

# **Background**




Glycogen synthase kinase-3 (GSK3) is a proline-directed serine-threonine kinase that was initially identified as a phosphorylating and inactivating glycogen synthase .GSK3B is involved in energy metabolism, neuronal cell development, and body pattern formation. In skeletal muscle, it contributes to insulin regulation of glycogen synthesis by phosphorylating and inhibiting GYS1 activity and hence glycogen synthesis.


#### **Research Area**

Neuroscience

## **Image Data**




Flow Cytometry analysis of NIH/3T3 cells stained with GSK3B antibody (green) and negative control (red).




Immunohistochemistry analysis of paraffin-embedded rectum cancer tissues using GSK3B antibody with DAB staining. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Immunohistochemistry analysis of paraffin-embedded esophageal cancer tissues using GSK3B antibody with DAB staining. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of GSK3B antibody in Hela, 3T3, C6, rat Brain lysates using GSK3B antibody.

#### Note

For research use only.