
Summary

Production Name	TNFAIP3 Rabbit Monoclonal Antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IHC-F,IHC-P,ICC/IF
Reactivity	Human

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Purification	Affinity Purified

Immunogen

Gene Name	TNFAIP3 TNFAIP3; OTUD7C; Tumor necrosis factor alpha-induced protein 3; TNF alpha-induced protein 3; OTU domain-containing protein 7C; Putative DNA-binding protein A20; Zinc finger protein A20
Alternative Names	
Gene ID	7128
SwissProt ID	P21580

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200
Molecular Weight	Calculated MW: 90 kDa; Observed MW: 82 kDa

Product Name: TNFAIP3 Rabbit Monoclonal Antibody
Catalog #: AMRe02701



Background

TNFAIP3 is cytokine-inducible protein that functions to inhibit apoptosis and activate NF- κ b. Play a role in the function of the lymphoid system. Required for LPS-induced production of proinflammatory cytokines and IFN beta in LPS-tolerized macrophages.


Research Area

Immunology

Image Data




Immunocytochemistry analysis of TNFAIP3 (green) in HL-60 using TNFAIP3 antibody, and DAPI (blue).



Western blot analysis of TNFAIP3 in HeLa lysates using TNFAIP3 antibody.

Product Name: TNFAIP3 Rabbit Monoclonal Antibody
Catalog #: AMRe02701



Immunohistochemistry analysis of paraffin-embedded Human lung cancer tissue using TNFAIP3 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.