Product Name: Cortactin (Acetyl Lys235) Rabbit

Polyclonal Antibody Catalog #: APRab06178



Summary

Production Name Cortactin (Acetyl Lys235) Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationAcetyl Antibody

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name CTTN

Alternative Names CTTN; EMS1; Src substrate cortactin; Amplaxin; Oncogene EMS1

Gene ID 2017.0

Q14247.Synthesized acetyl-peptide derived from the Internal region of human SwissProt ID

Cortactin around the acetylation site of K235.

Application

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:10000

Molecular Weight 62kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Cortactin (Acetyl Lys235) Rabbit

Polyclonal Antibody Catalog #: APRab06178




Background

cortactin(CTTN) Homo sapiens This gene is overexpressed in breast cancer and squamous cell carcinomas of the head and neck. The encoded protein is localized in the cytoplasm and in areas of the cell-substratum contacts. This gene has two roles: (1) regulating the interactions between components of adherens-type junctions and (2) organizing the cytoskeleton and cell adhesion structures of epithelia and carcinoma cells. During apoptosis, the encoded protein is degraded in a caspase-dependent manner. The aberrant regulation of this gene contributes to tumor cell invasion and metastasis. Three splice variants that encode different isoforms have been identified for this gene. [provided by RefSeq, May 2010],function:May contribute to the organization of cell structure. The SH3 motif may function as a binding region to cytoskeleton. Tyrosine phosphorylation in transformed cells may contribute to cellular growth regulation and transformation, online information:Cortactin entry, similarity:Contains 1 SH3 domain., similarity:Contains 7 cortactin repeats., subcellular location:Associated with membrane ruffles and lamellipodia., subunit:Interacts with SHANK2 and SHANK3 via its SH2 domain. Also interacts with FGD1 (By similarity). Interacts with PLXDC2.,

Research Area

Tight junction; Pathogenic Escherichia coli infection;

Image Data



Western Blot analysis of HepG2-UV cells using Acetyl-Cortactin (K235) Polyclonal Antibody. Antibody was diluted at 1:500.


Secondary antibody was diluted at 1:20000

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Cortactin (Acetyl Lys235) Rabbit

Polyclonal Antibody Catalog #: APRab06178





Western Blot analysis of HEPG2-UV cells using Acetyl-Cortactin (K235) Polyclonal Antibody diluted at 1: 500. Secondary antibody was diluted at 1:20000

Note

For research use only.