# **Summary**

**Production Name** A Cyclase VII Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** IHC,IF,ELISA **Reactivity** Human,Mouse

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Storage

Gene Name ADCY7

ADCY7; KIAA0037; Adenylate cyclase type 7; ATP pyrophosphate-lyase 7; Adenylate Alternative Names

cyclase type VII; Adenylyl cyclase 7

**Gene ID** 113.0

P51828.The antiserum was produced against synthesized peptide derived from human **SwissProt ID** 

ADCY7. AA range:191-240

# **Application**

**Dilution Ratio** IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other applications.

**Molecular Weight** 


#### **Background**

This gene encodes a membrane-bound adenylate cyclase that catalyses the formation of cyclic AMP from ATP and is inhibitable by calcium. The product of this gene is a member of the adenylyl cyclase class-4/guanylyl cyclase enzyme family that is characterized by the presence of twelve membrane-spanning domains in its sequences. Several transcript variants have been observed for this gene, but the full-length natures of only two have been determined so far. [provided by RefSeq, Oct 2013],catalytic activity:ATP = 3',5'-cyclic AMP + diphosphate.,cofactor:Binds 2 magnesium ions per subunit.,function:This is a membrane-bound, calcium-inhibitable adenylyl cyclase.,similarity:Belongs to the adenylyl cyclase class-4/guanylyl cyclase family.,similarity:Contains 2 guanylate cyclase domains.,


#### Research Area

Purine metabolism; Calcium; Chemokine; Oocyte meiosis; Vascular smooth muscle contraction; Gap junction; GnRH; Progesterone-mediated oocyte maturation; Melanogenesis; Dilated cardiomy opathy;

# **Image Data**



Immunofluorescence analysis of NIH/3T3 cells, using ADCY7 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using ADCY7 Antibody. The picture on the right is blocked with the synthesized peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



#### Note

For research use only.