

## Summary

Production Name	L-Selectin Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human, Mouse, Rat

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

#### Immunogen

Gene Name	SELL
Alternative Names	SELL; LNHR; LYAM1; L-selectin; CD62 antigen-like family member L; Leukocyte
	adhesion molecule 1; LAM-1; Leukocyte surface antigen Leu-8; Leukocyte-endothelial
	cell adhesion molecule 1; LECAM1; Lymph node homing receptor; TQ1; gp90-MEL;
	CD62L
Gene ID	6402.0
SwissProt ID	P14151.The antiserum was produced against synthesized peptide derived from the
	Internal region of human SELL. AA range:91-140

# Application

<b>Dilution Ratio</b>	WB 1:500-2000 ELISA 2000-20000
Molecular Weight	42kD




### Background

This gene encodes a cell surface adhesion molecule that belongs to a family of adhesion/homing receptors. The encoded protein contains a C-type lectin-like domain, a calcium-binding epidermal growth factor-like domain, and two short complement-like repeats. The gene product is required for binding and subsequent rolling of leucocytes on endothelial cells, facilitating their migration into secondary lymphoid organs and inflammation sites. Single-nucleotide polymorphisms in this gene have been associated with various diseases including immunoglobulin A nephropathy. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Oct 2009],function:Cell surface adhesion protein. Mediates the adherence of lymphocytes to endothelial cells of high endothelial venules in peripheral lymph nodes. Promotes initial tethering and rolling of leukocytes in endothelia.,online information:L-selectin,similarity:Belongs to the selectin/LECAM family,similarity:Contains 1 C-type lectin domain.,similarity:Contains 1 EGF-like domain.,similarity:Contains 2 Sushi (CCP/SCR) domains.,subunit:Interaction with PSGL1/SELPLG is required for promoting recruitment and rolling of leukocytes. This interaction is dependent on the sialyl Lewis X glycan and tyrosine sulfation modifications of PSGL1. Sulfation on Y-51 of PSGL1 is important for L-selectin binding,tissue specificity:Expressed in B cell lines and T lymphocytes,

#### **Research Area**

Cell adhesion molecules (CAMs);


### Image Data



Western blot analysis of lysate from A549 cells, using SELL Antibody.

## Product Name: L-Selectin Rabbit Polyclonal Antibody Catalog #: APRab13457





Western Blot analysis of A549 cells using L-Selectin Polyclonal Antibody.. Secondary antibody was diluted at 1:20000

#### Note

For research use only.