## **Product Name: MBD3 Rabbit Polyclonal Antibody**

Catalog #: APRab13684



### **Summary**

Production Name MBD3 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

HostRabbitApplicationWB,ELISAReactivityHuman,Mouse

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name MBD3

Alternative Names MBD3; Methyl-CpG-binding domain protein 3; Methyl-CpG-binding protein MBD3

**Gene ID** 53615.0

O95983. The antiserum was produced against synthesized peptide derived from human

MBD3. AA range:221-270

## **Application**

**SwissProt ID** 

**Dilution Ratio** WB 1:500-2000;ELISA 2000-20000

Molecular Weight 33kD

### **Background**

# Product Name: MBD3 Rabbit Polyclonal Antibody


Catalog #: APRab13684




DNA methylation is the major modification of eukaryotic genomes and plays an essential role in mammalian development. This gene belongs to a family of nuclear proteins which are characterized by the presence of a methyl-CpG binding domain (MBD). The encoded protein is a subunit of the NuRD, a multisubunit complex containing nucleosome remodeling and histone deacetylase activities. Unlike the other family members, the encoded protein is not capable of binding to methylated DNA. The protein mediates the association of metastasis-associated protein 2 with the core histone deacetylase complex. Alternative splicing results in multiple transcript variants of this gene. [provided by RefSeq, Jul 2013],function:Does not bind DNA by itself. Recruits histone deacetylases and DNA methyltransferases. Acts as transcriptional repressor and plays a role in gene silencing,,similarity:Contains 1 MBD (methyl-CpG-binding) domain,,subcellular location:Nuclear, in discrete foci.,subunit:Heterodimer with MBD2. Part of the NuRD and the MeCP1 complex. Binds HDAC1, MTA2, DNMT1, p66-alpha and p66-beta.,

#### **Research Area**

### **Image Data**



Western blot analysis of lysates from Jurkat cells, using MBD3 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using MBD3 Polyclonal Antibody

## **Product Name: MBD3 Rabbit Polyclonal Antibody**

Catalog #: APRab13684



#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838