# **Product Name: Olfactory receptor 4C13 Rabbit**

Polyclonal Antibody Catalog #: APRab15218



## **Summary**

**Production Name** Olfactory receptor 4C13 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application IF,WB,

Reactivity Human, Rat, Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

**Gene Name** OR4C13

Alternative Names OR4C13; Olfactory receptor 4C13; Olfactory receptor OR11-260

**Gene ID** 283092.0

Q8NGP0.The antiserum was produced against synthesized peptide derived from **SwissProt ID** 

human OR4C13. AA range:260-309

# **Application**

WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other

Dilution Ratio

applications.

Molecular Weight 35kD

 **Product Name: Olfactory receptor 4C13 Rabbit** 

Polyclonal Antibody Catalog #: APRab15218




## **Background**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function:Odorant receptor ., similarity:Belongs to the G-protein coupled receptor 1 family.,


#### **Research Area**

Olfactory transduction;

## **Image Data**



Immunofluorescence analysis of A549 cells, using OR4C13 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from HeLa, Jurkat, HepG2, and MCF-7 cells, using OR4C13 Antibody. The lane on the right is blocked with the synthesized peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


# **Product Name: Olfactory receptor 4C13 Rabbit**

**Polyclonal Antibody** Catalog #: APRab15218





Western blot analysis of the lysates from HT-29 cells using OR4C13 antibody.



Western Blot analysis of various cells using Olfactory receptor 4C13 Polyclonal Antibody

#### Note

For research use only.