

Antibody

Catalog #: APRab15274



Summary

Olfactory receptor 5A1 Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Rabbit Host **Application** WB,ELISA

Reactivity Human, Rat, Mouse

Performance

Conjugation Unconjugated Modification Unmodified

IgG Isotype

Clonality Polyclonal **Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name OR5A1

Alternative Names OR5A1; OR5A1P; Olfactory receptor 5A1; OST181; Olfactory receptor OR11-249

Gene ID 219982.0

Q8NGJ0. The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

OR5A1. AA range:240-289

Application

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:5000.

Molecular Weight 36kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Olfactory receptor 5A1 Rabbit Polyclonal

Antibody

Catalog #: APRab15274




Background

olfactory receptor family 5 subfamily A member 1(OR5A1) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;

Image Data



Western blot analysis of lysates from MCF-7 cells, using OR5A1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of MCF-7 cells using Olfactory receptor 5A1 Polyclonal Antibody

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Catalog #: APRab15274



Note

For research use only.

Tel: 0086-27-87002838