



# Summary

Olfactory receptor 5A2 Rabbit Polyclonal Antibody **Production Name** 

Description Rabbit Polyclonal Antibody

Rabbit Host **Application** IF,WB,

Reactivity Human, Rat, Mouse

## **Performance**

Conjugation Unconjugated Modification Unmodified

IgG Isotype

Clonality Polyclonal **Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

## **Immunogen**

Gene Name OR5A2

**Alternative Names** OR5A2; Olfactory receptor 5A2; Olfactory receptor OR11-248

Gene ID 219981.0

Q8NGI9. The antiserum was produced against synthesized peptide derived from human **SwissProt ID** 

OR5A2. AA range:267-316

# **Application**

WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other

**Dilution Ratio** 

applications.

**Molecular Weight** 36kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Catalog #: APRab15275




# **Background**

olfactory receptor family 5 subfamily A member 2(OR5A2) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,


### Research Area

Olfactory transduction;

## **Image Data**




Immunofluorescence analysis of A549 cells, using OR5A2 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from NIH/3T3 and K562 cells, using OR5A2 Antibody. The lane on the right is blocked with


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838







Western blot analysis of the lysates from RAW264.7cells using OR5A2 antibody.



Western Blot analysis of 3T3 cells using Olfactory receptor 5A2 Polyclonal Antibody

### Note

For research use only.