

Summary

Olfactory receptor 5AU1 Rabbit Polyclonal Antibody	
Rabbit Polyclonal Antibody	
Rabbit	
WB,ELISA	
Human,Rat,Mouse	

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG	
Clonality	Polyclonal	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.	
Purification	Affinity purification	

Immunogen

Gene Name	OR5AU1
Alternative Names	
Gene ID	390445.0
SwissProt ID	Q8NGC0/Q6IEU2. The antiserum was produced against synthesized peptide derived
	from human OR5AU1. AA range:201-250

Application

Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:5000.
Molecular Weight	35kD




Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area


Olfactory transduction;

Image Data



Western blot analysis of lysates from Jurkat cells, using OR5AU1 Antibody. The lane on the right is blocked with the







Note

For research use only.