## **Product Name: PRSS33 Rabbit Polyclonal Antibody**

Catalog #: APRab16566



### **Summary**

Production Name PRSS33 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human,Rat,Mouse

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name PRSS33

Alternative Names PRSS33; Serine protease 33; Serine protease EOS

**Gene ID** 260429.0

Q8NF86. The antiserum was produced against synthesized peptide derived from human

PRSS33. AA range:18-67

### **Application**

**SwissProt ID** 

**Dilution Ratio** WB 1:500 - 1:2000. ELISA: 1:10000...

Molecular Weight 26kD

### **Background**

# **Product Name: PRSS33 Rabbit Polyclonal Antibody**


Catalog #: APRab16566




function:Serine protease that has amidolytic activity, cleaving its substrates before Arg residues., induction:Up-regulated by phorbol ester PMA., similarity:Belongs to the peptidase S1 family., similarity:Contains 1 peptidase S1 domain., tissue specificity:Predominantly expressed in macrophages. Present in the spleen, small and large intestine, lung and brain (at protein level). Highly expressed in peripheral leukocytes, ovary, retina, spleen and stomach. Moderately expressed in thymus, uterus and platelets, as well as some brain tissues, such as thalamus and fetal brain., function:Serine protease that has amidolytic activity, cleaving its substrates before Arg residues., induction:Up-regulated by phorbol ester PMA., similarity:Belongs to the peptidase S1 family., similarity:Contains 1 peptidase S1 domain., tissue specificity:Predominantly expressed in macrophages. Present in the spleen, small and large intestine, lung and brain (at protein level). Highly expressed in peripheral leukocytes, ovary, retina, spleen and stomach. Moderately expressed in thymus, uterus and platelets, as well as some brain tissues, such as thalamus and fetal brain.,

#### **Research Area**

### **Image Data**



Western blot analysis of lysates from COLO, 293, and Jurkat cells, using PRSS33 Antibody. The lane on the right is blocked with the synthesized peptide.




Western blot analysis of the lysates from HT-29 cells using PRSS33 antibody.

# **Product Name: PRSS33 Rabbit Polyclonal Antibody**

Catalog #: APRab16566





Western Blot analysis of various cells using PRSS33 Polyclonal Antibody

### Note

For research use only.