# **Product Name: RGS14 Rabbit Polyclonal Antibody**

Catalog #: APRab17091



## **Summary**

**Production Name** RGS14 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human, Mouse, Rat

## **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name RGS14

Alternative Names RGS14; Regulator of G-protein signaling 14; RGS14

**Gene ID** 10636.0

O43566. The antiserum was produced against synthesized peptide derived from human

RGS14. AA range:125-174

# **Application**

**SwissProt ID** 

**Dilution Ratio** WB 1:500-2000 ELISA 2000-20000

Molecular Weight 65kD

## **Background**


# Product Name: RGS14 Rabbit Polyclonal Antibody Catalog #: APRab17091




This gene encodes a member of the regulator of G-protein signaling family. This protein contains one RGS domain, two Raf-like Ras-binding domains (RBDs), and one GoLoco domain. The protein attenuates the signaling activity of G-proteins by binding, through its GoLoco domain, to specific types of activated, GTP-bound G alpha subunits. Acting as a GTPase activating protein (GAP), the protein increases the rate of conversion of the GTP to GDP. This hydrolysis allows the G alpha subunits to bind G beta/gamma subunit heterodimers, forming inactive G-protein heterotrimers, thereby terminating the signal. Alternate transcriptional splice variants of this gene have been observed but have not been thoroughly characterized. [provided by RefSeq, Jul 2008],function:Inhibits signal transduction by increasing the GTPase activity of G protein alpha subunits thereby driving them into their inactive GDP-bound form.,similarity:Contains 1 GoLoco domain.,similarity:Contains 1 RGS domain.,similarity:Contains 2 RBD (Ras-binding) domains.,

#### Research Area

### **Image Data**



Western blot analysis of the lysates from HUVECcells using RGS14 antibody.



Western Blot analysis of 3T3 cells using RGS14 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA) .

# **Product Name: RGS14 Rabbit Polyclonal Antibody**

Catalog #: APRab17091



### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838