

Summary

Ifactory receptor 13C3 Rabbit Polyclonal Antibody
abbit Polyclonal Antibody
abbit
,WB,ELISA
luman,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storege	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
Storage	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	OR13C3
Alternative Names	OR13C3; Olfactory receptor 13C3; Olfactory receptor OR9-8
Gene ID	138803.0
SwissProt ID	Q8NGS6.The antiserum was produced against synthesized peptide derived from
	human OR13C3. AA range:201-250

Application

Dilution Ratio	WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other
	applications.
Molecular Weight	35kD



Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],caution:It is uncertain whether Met-1 or Met-31 is the initiator.,function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;

Image Data




Immunofluorescence analysis of A549 cells, using OR13C3 Antibody. The picture on the right is blocked with the synthesized



Western blot analysis of lysates from LOVO cells, using OR13C3 Antibody. The lane on the right is blocked with the





Western blot analysis of the lysates from HeLa cells using OR13C3 antibody.

Note

For research use only.